BEST AVAILABLE COPY

03/08/06 12:18 FAX 212 681 0300

OCF&B

RECEIVED
CENTRAL FAX CENTER

MAR' 0 8 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/707,612

Filed

December 24, 2003

Atty. Docket No.

03-1090

For

Translucent, Flame Resistant Composite Materials

Date

March 3, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (8 pages) is being transmitted by facsimile to the Centralized Facsimile Number (571-273-8300), Commissioner for Patents, P.O. Box 1450, Alexandria,

Virginia 22313-1450 on the date set forth below.

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

March ______, 2006 Date

David Kaplan

SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(b), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

March 3, 2006

Date

Joshua S. Broitman Reg. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

Title

MAR 0 8 2006

PTC/SB/20 (04-05)

Approved for use through 11/30/2005, OMB 0651-0035

U.S. Paterá and Tradamark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid Child control number.

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO I hereby revoke all previous powers of attorney given in the application identified in the attached statement under 37 CFR 3.73(b). I hereby appoint: 44702 Practitioners associated with the Customer Number: Practitioner(s) named below (if more than lan patent practitioners are to be named, then a customer number must be used): Мести Registration Registration Number Number Glenn F. Ostrager Andres Madrid 29,963 40,710 Dennis M. Flaherty 31,159 Lisa N. Benado 39,905 Joshua S. Broitman 38,006 Terje Gudmestad 32,232 Leighton K. Chong 27,621 Eric Satermo 40,159 Manette Dennis John R. Rafter 28,533 30,623 as aflorrery(s) or agent(s) to represent the undersigned before the United States Potent and Trademark Office (USPTO) in connection with any and all patent applications assigned only to the undersigned according to the USPTO assignment records or assignment documents attached to this form in accordance with 37 CFR 3.73(b). Please change the correspondence address for the application identified in the attached statement under 37 CFR 3.73(b) to: 44702 The address associated with Customer Number: OR Firm or Individual Name Ostrager Chong Flaherty & Broitman PC Address 250 Park Avenue, Suite 825 City New York 10177-0899 Country USA Telephone Email (212) 681-0600 gostrager@ocfblaw.com Assignee Name and Address: The Boeing Company 100 N. Riverside Plaza Chicago, IL 60606 A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTO/SB/96 or equivalent) is required to be filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed by one of the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the assignee, and must identify the application in which this Power of Attorney is to be filed. SKGNATURE of Assignee of Record The judificual whose signifuge and judges supplied below is authorized to act on behalf of the assignee Signature December 22, 2005 Terje Godmestad Telephone (949) 790-1374 Name

This collection of information is required by 37 CFR 1.31, 1.32 and 1.35. The information is required to obtain or nation a benefit by the public which is to file (and by the USPTO to process) on application. Confidentiality is governer by 35 U.S.C. 122 and 37 CFR 1.51 and 1.14. This collection is estimated to take 3 minutes to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Turns will vary depending upon the individual case, Any comments on the amount of time you require to complete tak form another suggestions from the time that the chief information Officer, U.S. Potent and Tudemark Office, U.S. Oppartment of Commence, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patentia, P.O. Box 1460, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Counsel, The Boeing Company

MAR' 0 8 2006

PTD/S8/96 (11-05)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1996, no persons are required to respond to a collection of information unless 8 displays a valid OMB control number.

STATEMENT UNDER 37 CFR 3.73(b)	
Applicant/Patent Owner: The Boe Ing Company	
Application No/Patent No.: see attached Filed/Issue Date: see attached	
Entitled:	_
TI 0	
The Boeing Company a <u>Corporation</u> (Name of Assignee) (Type of Assignee), e.g., corporation, partnership, university, government as	pency, esc.)
states that it is: 1. X the assignee of the entire right, title, and interest; or	
2. an assignee of less than the entire right, title and interest (The extent (by percentage) of its ownership interest is%)	
in the patent application/patent identified above by virtue of either:	
A[X] An assignment from the inventor(s) of the patent application/patent identified above. The assignment was recein the United States Patent and Trademark Office at Reel, Frame, or for which a thereof is attached.	osded copy
OR B. A chain of title from the inventor(s), of the patent application/patent identified above, to the current assignee as	s follows:
From: To: The document was recorded in the United States Patent and Trademark Office at	
The document was recorded in the United States Patent and Trademark Office at Reel, Frame or for which a copy thereof is attached.	
2. From:To:	
The document was recorded in the United States Patent and Trademark Office at Red, Frame, or for which a copy thereof is attached.	
3. From:	
Additional documents in the chain of title are listed on a supplemental sheet.	
As required by 37 CFR 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the essignee was, or concurrently is being, submitted for recordation pursuant to 37 CFR 3.11.	16
(NOTE: A separate copy (i.e., a true copy of the original assignment document(s)) must be submitted to Assign Division in accordance with 37 CFR Part 3, to record the assignment in the records of the USPTO. See MP 302.081	ment PEP
The undersigned lamase titiffs supplied better to culture costs act on behalf of the assignee. December 22.	200E
Signature Dete	2003
Terje Gudmestad (949) 790-1374	
Printed or Typed Name Telephone Num	
Counsel, The Boeing Company	
Counsel, The Boeing Company	

I file

This collection of information is required by 37 CFR 3.75(b). The information is required to obtain of retain a burnets by the public which to to its (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Then will vary depending upon the individual cast. Any commerce on the entour of time your require to complete this form another suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO 118 ADDRESS. SEND TO: Commissionater for Partents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

	1				1.0 g (V.).	
200253		WIDE-BANDGAP, LATTICE-MISMATCHED	09/976,508	12-Oct-01	012271	0096
200200	•	WINDOW LAYER FOR A SOLAR ENERGY				<u>l</u>
	1.	CONVERSION DEVICE			j	
200253	A	WIDE-BANDGAP, LATTICE-MISMATCHED	10/356,028	31-Jan-03	014259	0577
		WINDOW LAYER FOR A SOLAR ENERGY	,		i	1
	;	CONVERSION DEVICE	į			1
200265	·		09/853,475	11-May-01	011809	0297
200200	}	CANCELLATION SYSTEM	00,000,110	V1-10123 V	01,000	1020.
200300	 -	SEMICONDUCTOR CIRCUITS AND DEVICES	00/850 773	08-May-01	011792	0263
200300	İ	ON GERMANIUM SUBSTRATES	03,030,773	QU-MEY O	011132	10200
00-065	10	Liquid Hydrogen Fueled Aircraft with High Wing	29/189,740	10-Sep-03	016140	0392
	C_		10/905,484	06-Jan-05		0545
01-001	Ì	Method and System for Reducing Stress	10/305,464	CO-Jan-Co	0 10002	U343
	ļ	Concentrations in Lap Joints	40/404 740	04 4-: 00	042000	logad.
01-1048	į	Method and System for Utilizing Low Pressure	10/404,742	01-Apr-03	013936	0241
	•	for Perforating and Consolidating an Uncured]	1
	-	Laminate Sheet in One Cycle of Operation	4 7 7 4 7 7 7			
01-1163	Α	Low Chamfer Angled Torque Tube End Fitting	10/710,645	27-Jul-04	014899	0101
	<u>.</u>	, With Elongated Overflow Groove				
01-275	<u> </u>	Simulation System And Method	09/865,293	25-May-01		0356
01-45B	Ţ	Dual-Band Multiple Beam Antenna System For	10/060,822	30-Jan-02	012557	0533
	1	Communication Satellites	ļ		<u> </u>	J
01-458	Α	Dual-Band Multiple Beam Antenna System For	11/259,913	27-Oct-05	012557	0533
		Communication Satellites				
01-519		Electronic Network Filter for Classified	10/137,974	03-May-02	012869	0731
01-565	†	Aircraft Surface Ice Inhibitor	10/161,238	31-May-02	013209	0635
01-572	1	A Method for Detecting Foreign Object Debris	09/954,404	17-Sep-01	012181	0775
01-704	†	Operating Point Independent Digital Automatic	10/389,034	14-Mar-03		0735
	Ì	Level Control]		ł	1
01-799	÷	Redundant Power Distribution System	10/615,705	09-Jul-03	014267	0982
01-926	·	Closed-Loop Pointing System with Spot Beams	10/349.294	22-Jan-03		0930
	Ì	and Wide-Area Beams	} '			
01-965		Method and System Having a Flowable	10/404,993	01-Apr-03	013938	0234
V 1-500	1	Pressure Pad for Consolidating an Uncured	1.0.404,555	0.74.00	1	1020.
	!	Laminate Sheet in a Cure Process	1	i	i	ł
02-0018		Thermographic System and Method for	10/274,273	18-Oct-02	014210	0150
UZ-UU 10		Detecting Imperfections within a Bond	10/214,215	10-04-02	1017213	10750
02-0033	\leftarrow	Operational Ground Support System	10/847,739	17-May-04	045460	0505
	┥┈─੶		10/711,610			0354
02-0033	A	Operational Ground Support System				
02-0033	įΕ	Carry-On Luggage System for an Operational	11/163,405	18-Oct-05	10 10000	0986
~~~~~	<del>}</del> -	Ground Support System	40007.000	05 12	040040	0450
02-0050	1	Low-Penetration-Force Pinmat for Perforating	10/397,003	25-Mar-03	บางยาช	0156
	1	an Uncured Laminate Sheet	40440	10.14	040000	0003
02-0128	1	Multi-Dimensional Fractional Number of Bits	10/142,461	10-May-02	012899	0867
	<u> </u>	Modulation Scheme			<u> </u>	4
02-0173	1	Increased Propellant Performance From Equal	10/327,317	20-Dec-02	013618	0959
	1	Volume Propellant Tanks			<u> </u>	4
02-0256	1	Rechargeable Composite Ply Applicator	10/272,085	16-Oct-02		0926
2-0256	Α	Rechargeable Composite Ply Applicator	11/186,582	21-Jul-05		0926
02-0390		Dual Transmission Emergency Communication	10/337,530	07-Jan-03	013644	0043
		System	<u> </u>			1
2-0627	1	Improved Honeycomb Cores For Aerospace	10/236,361	06-Sep-02	013276	0573
	ì	Applications	1	1	1	1

	de la companya de la					
		26 A C C C C C C C C C C C C C C C C C C	765岁,65日至			Jan Barthard
02-0667	<u> </u>	Communication System for Tracking Assets	10/310,457	05-Dec-02		0810
02-0714	)	Robust Palladium Based Hydrogen Sensor	10/382,187	05-Mar-03		0309
02-0718		Optical Differential Quadrature Phase-Shift Keyed Decoder	10/281,676	28-Oct-02	013434	0036
02-0889	1	Constant Vertical State Maintaining Cueing System	10/613,253	03-14-03	014295	0258
02-0930	Α	COMMERCIAL AIRCRAFT ON-BOARD INERTING SYSTEM	10/708,110	10-Feb-04	014318	0304
02-1095		Programmable Messages for Communication System having One-Button User Interface	10/310,275	05-Dec-02	013554	0714
02-1096	<del>1</del>	Communications Protocol for Mobile Device	10/310,481	05-Dec-02	013554	0606
02-1150	-	On Orbit Variable Power High Power Amplifiers for a Satellite Communications System	10/365,359	12-Feb-03		0001
02-1189		VARIABLE HIGH POWER AMPLIFIER WITH CONSTANT OVERALL GAIN FOR A SATELLITE COMMUNICATION SYSTEM	10/431,903	08-May-03	014060	0978
02-1221	:	Serial Port Multiplexing Protocol	10/310,751	05-Dec-02	013553	0935
02-1231		METHOD FOR PREPARING ULTRA-FINE, SUBMICRON GRAIN TITANIUM AND TITANIUM-ALLOY ARTICLES AND ARTICLES PREPARED THEREBY	10/707,173	25-Nov-03		0797
02-1244	;	Fiber Matrix for a Geometric Morphing Wing	10/357,022	03-Feb-03	013728	0097
02-1264	.l	Resonator Box to Laser Cavity Interface for Chemical Laser	10/396,804	24-Mar-03		0840
02-1300	<u></u>	A Pattern Method and System for Detecting Foreign Object Debris	10/384,037	07-Mar-03	014708	0030
02-1349	1	Integrated Window Display	10/383,012	06-Mar-03	013861	0001
03-0030	1	PPM RECEIVING SYSTEM AND METHOD USING TIME-INTERLEAVED INTEGRATORS	10/707,076			0908
03-0138	÷ ·	Capacitive Acceleration Derivative Detector	10/604,537	30-Jul-03	013834	0446
03-0192		AUTONOMOUSLY ASSEMBLED SPACE TELESCOPE	10/605,797	28-Oct-03		0717
03-0193	Α	Fast Access, Low Memory, Pair Catalog	10/710,177	24-Jun-04	014769	0432
03-0196	<del> </del>	Method and Apparatus for Real-Time Star Exclusion From A Database	10/709,346	29-Apr-04		0263
03-0197	A	Method and Appartus For On-Board Autonomous Pair Catalog Generation	10/710,178	24-Jun-04	014769	0735
03-0208		Variable-Duct Support Assembly	10/708,864	29-Mar-04	014457	0228
03-0271		BEAMFORMING ARCHITECTURE FOR MULTI BEAM PHASED ARRAY ANTENNAS	10/707,211	26 Nov-03	014159	0794
03-0348	ĵ	Aircraft Interior Configuration Detection System	10/710,287	30-Jun-04	014796	0966
03-0414		CRYOGENIC FUEL TANK INSULATION ASSEMBLY	10/605,599	11-Oct-03	014041	0939
03-0431		Aircraft Secondary Electric Load Controlling System	10/504,189	30-Jun-03	013765	0377
03-0489		GPS NAVIGATION SYSTEM WITH INTEGRITY AND RELIABILITY MONITORING	10/605,890	04-Nov-03	014100	0958
03-0520		Integrated Capacitive Bridge Integrated Flexure Functions Inertial Measurement Unit	10/953,726	29-Sep-04	015837	0448
03-0527		Dynamic Seat Labeling and Passenger Identification System	10/707,965	28-Jan-04	14287	0001

# RECEIVED CENTRAL FAX CENTER

MAR 0 8 2006

			بالقيادة فيردا	· • • • • • • • • • • • • • • • • • • •	12.6	The same VIII
33-0684	Total State of State	Integral Clamping-and-Bucking Apparatus for	10/904,978		015424	0962
	i	Utilizing a Constant Force and Installing Rivet		:		j
	{	Fasteners in a Sheet Metal Joint		†		1
3-0755	i	Heavy Particle Lorentz Force Accelerator	10/709,620	18-May-04	014623	0324
03-0835	<del>-</del>	Aircraft Archway Architecture	10/688,624	17-Oct-03		0753
03-0835	A	Interior Archway for an Aircraft	29/192,055	17-Oct-03	014628	0075
03-0835	В	Aircraft Interior Architecture	10/908,140	28-Apr-05		0075
03-0835	C	Modular Archway for an Aircraft	29/228,800	28-Арг-05	014628	0075
03-0885	1		11/160,192	13-Jun-05		0060
	į	for Manufacturing the Same	·			
03-0925		Interior Seating Architecture for Aircraft	10/605,586	10-Oct-03	014040	0514
03-0963		MULTIPLE STAYOUT ZONES FOR GROUND-	10/709,348	29-Apr-04	014557	0363
	:	BASED BRIGHT OBJECT EXCLUSION				<u> </u>
03-1090		Translucent, Flame Resistant Composite	10/707,612	24-Dec-03	014217	0512
	: i	Materials				
03-1104	†	Shower System	10/708,749	23-Mar-04	014440	0233
03-1129	; <b>-</b> -	Unauthorized Access Embedded Software	10/658,159	09-Sep-03	014496	0326
		Protection System	!			
03-1138	-	Undercut for Bushing Retention for SLS Details	10/710,144	22-Jun-04		0698
03-1140	·	SLS for Tooling Applications	10/710,163	23-Jun-04	014787	0205
03-1308		Mandrel, Mandrel Removal and Mandrel	10/907,320	29-Mar-05	015838	0315
	Ì	Fabrication to Support a Monolithic Nacelle	į	}		1
		Composite Panel	<u> </u>	i i		
03-1471	T''' •	Extended Accuracy Variable Capacitance	10/952,952	29-Sep-04	015855	0647
	į	Bridge Accelerometer		<u> </u>		1
03-1526	]	Flexible Mandrel for Highly Contoured	10/904,717	24-Nov-04	015391	0571
	! ••••••	Composite Stringer	i			<u> </u>
04-0016	A	AN INTEGRATED TRANSPORT SYSTEM AND	10/709,777	27-May-04	014664	0676
	į.	METHOD FOR OVERHEAD STOWAGE AND	<b>.</b>	•	1	
	<u>:</u>	RETRIEVAL	į	! 	<u> </u>	
04-0054	A	REAL-TIME REFINEMENT METHOD OF	11/028,094	03-Jan-05	016178	0162
	į	SPACECRAFT STAR TRACKER ALIGNMENT	i	į		1
	<u> </u>	ESTIMATES	<u></u>	Ĺ		
04-0070	1	Enhanced Pinmat for Manufacturing High-	10/904,012	19-Oct-04	015287	0039
	ļ	Strenth Perforated Laminate Sheets		ļ 	<u> </u>	
04-0072		Overhead Space Access Conversion Monument	10/708,810	26-Mar-04	014451	0789
	ļ	and Service Area Staircase and Stowage				1
04-0073	}	Stowable Spiral Staircase System for Overhead	10/708,855	29-Mar-04	014457	0168
	ļ	Space Access			<u> </u>	
04-0089	Í	Determinant Assembly Features for Vehicle	10/904,802	30-Nov-04	015399	0122
	ļ	Structures	1			
04-0092	ļ	Overhead Space Access Stowable Staircase	10/708,733			0168
04-0097	}	MANDREL WITH DIFFERENTIAL IN	10/904,709	24-Nov-04	U15391	0450
<del></del>	<u>i                                    </u>	THERMAL EXPANSION TO ELIMINATE		<u> </u>	TARRET .	10.000
04-0137	!	Method to Improve Properties of Aluminum	10/939,528	13-Sep-04	U16635	0434
	ļ	Alloys Processed by Solid State Joining	10001515	64.5	ME IAA	10007
04-0208	ļ	Segmented Flexible Barrel Lay-up Mandrel	10/904,841			0307
04-0304	<u> </u>	Mist Delivery System	10/711,553			0637
04-0384	<b></b>	Self-Locating Feature for a Pi-Joint Assembly	10/904,800			0995
04-0385		Minimum Bond Thickness Assembly Feature Assurance	10/904,801	30-Nov-04	<u>L</u>	0046
04-0567		Aircraft Cabin Crew Complex	10/711.386	15-Sep-04	015130	0758

	<b>1</b> 1			图: 1300	No. 4 Page	, 2 mg - 1 g -
04-0588		Articulated Spacecraft Seat and Stretcher	10/906,482	22-Feb-05 0		0268
04-0589	·	Composite Shell Spacecraft Seat	10/905,483	06-Jan-05 0		0975
04-0590	·÷ ·· ·	Adjustable Attenuation System for a Space Re-	10/907,931			0242
	ļ.	Entry Vehicle Seat	,	<b>- -</b>		
04-0667		Airport Security System	10/906,757	04-Mar-05 0	15730	0856
04-0681	f	Protective Cover and Tool Splash for Vehicle	10/907,786	15-Apr-05 0		0530
	-	Components	10,000,100	10.4.00		1
04-0741	1	Pivot Mechanism for Quick Installation of	10/905,502	07-Jan-05 0	15543	0015
• . •	ł	Stowage Bins or Rotating Items		0. 02. 0-		
04-0747	<del>1</del>	Stowable Table	10/907.600	07-Apr-05 0	15875	0804
04-0765	<del>  -</del> -	Layered, Transparent Thermoplastic for	11/102,401	08-Apr-05 0		0082
0.0.00	•	Flammability Resistance	102,10	00741.00		10000
04-0791	·	Electromagnetic Mechanical Pulse Forming of	10/905,211	21-Dec-04 0	15477	0601
DT-07-91		Fluid Joints for High-Pressure Applications	10/000,211	23 000 040	,,,,,	1000,
04-0793	<del>-</del>	Airplane Interior Systems	10/907,990	22-Apr-05 0	15036	0923
04-0805	÷—	Compensated Composite Structure	10/994,848			0742
04-0824	1	Aircraft Cart Transport and Stowage System	10/906,465			0473
04-0859	· <del>[</del>	Magnetic Null Accelerometer	······································	09-Dec-04 0		0879
04-0893	<u> </u>	In-Process Vision Detection of Flaws and FOD	10/905,007	24-Nov-04 0		0395
04-0093	}	7	10/804,719	24-1404-04-0	113381	บวชอ
04-0914	<u>-}</u>	By Back Field Illumination  Aircraft Sink with Integrated Waste Disposal	10/907.625	08-Арг-05 0	45077	0700
U4•U314	ì	•	10/207,023	us Apr-us u	1100((	0782
04-0977	<del> </del>	Function State Day	404007 754	44 477 05 0	140070	0012
U4-U9//	į	Extended Accuracy Flexured Plate Dual	10/907,751	14-Apr-05 0	1162/9	0012
04-0993	<u> </u>	Capacitance Accelerometer	40007.070	00.4	45000	2502
04-0993	į	Design Methodology to Maximize the	10/907,973	22-Apr-05 0	112933	0523
	<u> </u>	Application of Direct Manufactured Aerospace	1	22 2 2 2		
04-0993	Α	Flow Optimized Stiffener for Improving Rigidity	11/162,261	02-Sep-05 0	16490	0847
= <del></del>	<del>}</del>	of Ducting	117721-1-1			1
04-1054	į	Electromagnetic Mechanical Pulse Forming of	11/028,093	03√Jan-05 0	115176	0741
<del></del>	ļ	Fluid Joints for Low-Pressure Applications				
04-1137	<u> </u>	Jet Airplane Configuration	29/220,256			0260
04-1137	Α	Jet Airplane Configuration	29/220,254			0953
04-1137	₽	Jet Airplane Configuration	29/220,255	28-Dec-04 0		0268
04-1240	ļ	Method and Apparatus for Optically Detecting	11/164,414	22-Nov-05 0	16808	0671
	<b>_</b>	and Identifying a Threat				<u> </u>
04-1256	<b>↓</b>	Multi-Ring System for Fuselage Formation	10/907,729	13-Apr-05 0		0016
04-1263	j	Integrally Damped Composite Aircraft Floor	11/163,957	04-Nov-05 0	16732	0779
<del></del> ~	<u> </u>	Panels				
05-0020	ļ	Integrated Wiring for Composite Structures	11/163,001	30-Sep-05 0		0244
05-0084	<u> </u>	Aircraft Stowage Bin	11/163,801	31-Oct-05 0		0199
05-0164	<u> </u>	Multiple Attendant Galley	11/160,958	18-Jul-05 0		0577
05-0263	İ	Universal Apparatus for the Inspection,	11/161,735	15-Aug-05 0	16403	0090
	!	Transportation, and Storage of Large Shell	•	1		1
	<u>i</u>	Structures				
05-0288	<u> </u>	Stringer Holding Device		02-Sep-05 0		0528
05-0300		Ceiling Illumination for Aircraft Interiors		16-Nov-05 0		0183
05-0302	]	Collapsible Guide for Non-Automated Area	11/161,769	16-Aug-05 0	16406	0593
	<u></u>	Inspections				<u></u>
15-0355		Antenna Vibration Isolation Mounting System	11/164,309	17-Nov-05 0		0416
05-0360		Renewable Superhydrophobic Coating	11/160,600	30-Jนก-05 0		0284
05-0377		Flow Path Splitter Duct	11/163,137	06-Oct-05 0		0041
05-0402	!	Rotor/Wing Dual Mode Hub Fairing System	11/162,924	28-Sep-05 0	16597	0959

		5111111	rin i Objeti	7 44 32	(10m) (210 to 20 1 2 o
05-0410	Dehumidifying Radome Vent	11/164,225			0030
05-0466	Environmentally Stable Hybrid Fabric System for Exterior Protection of an Aircraft	11/163,614	25-Oct-05		0681
05-0493	Space Depot For Spacecraft Resupply	11/162,333	07-Sep-05	016498	0797
05-0541	Anti-Personnel Airborne Radar Application	11/162,474	12-Sep-05	016526	0855
05-0624	An Uploaded Lift Offset Rotor System For A Helicopter	11/163,414	18-Oct-05	016654	0683
05-0723	Method to Control Thickness in Composite Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05	016762	0663

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
П отнер.

# IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.